Vistafold Elite Timber Bifold Hardware





Specifications

 Max panel weight:
 90kg (198lb)

 Max panel width:
 900mm (35")

 Max panel height:
 2700mm (106")

 Panel thickness:
 44-70mm (1.75-2.75")

Warranty: 5 years

Features

- Bottom rolling system
- Magnetic catch
- Marine grade finishes
- 4 color options (stainless, black, white, brass)
- Cost effective





Bottom Rolling Bi-Fold Overview

Vistafold Elite is a new Bifold Hardware system, designed for wood panels in configurations of 2, 3 or 4 panels.

Vistafold Elite is available for bottom rolling applications, with inline tracks and will fit into a standard door frame design 4" (100mm) wide.

Bottom Rolling Layout

0

System Specifications

 Max Panel Weight:
 90kg (198lbs)

 Max Panel Height:
 2700mm (106.3")

 Panel Thickness:
 44-70mm (1.75" - 2.75")

Guide Profiles





Track Profiles



814 Surface Fix Aluminum Track

21mm x 8mm (0.83" x 0.3")





Track finishes: silver & black in development

1252102 Page 2 of 4

Vistafold Bi-Fold Components

Vistafold Elite components are made from high grade aluminum and powder coated to a marine grade finish ideal for coastal areas. They also have nylon bearings rather than steel to maximize durability in harsh conditions.











Even Panel Guide LORI

Even Panel Guide ROLI

19LP Guide Channel









Butt Hinge

Butt Hinge Handle

Flush Bolt

Brush Strips







Even Panel Bottom Roller LORI




Even Panel Bottom Roller ROLI



B14 & B15 Bottom Tracks

Finish Options





Suited Handles & Catches

Optional handles and catches are available in black finish that are compatible with Vistafold systems. This includes lever handles for the swing panel, a handle for use with the Vistalock kit, and a magnetic catch for holding the swing panel while opening and closing the system.











Visit fenestration.net for details



Functional Fenestration Inc. Hawthorne, CA • Phone (800) 677-0228 www.fenestration.net • sales@fenestration.net

Page 4 of 4 1252102